Children's Tylenol Dosage

Tylenol can be administered every 4-6 hours as needed, not to exceed 5 doses in 24 hours. Tylenol=Acetaminophen

		Infant & Children's Suspension Liquid (160mg/5ml)	Children's Soft Chew Tablets 80mg each	Junior Strength Chewables 160mg each
Weight	Age			
6-11 lbs	0-3 mo.	¼ tsp = 1.25ml		
12-17 lbs	4-11 mo.	$\frac{1}{2}$ tsp = 2.5ml		
18-23 lbs	12-23 mo.	³ ⁄ ₄ tsp = 3.75ml		
24-35 lbs	2-3 years	1 tsp = 5ml	2 tablets	
36-47 lbs	4-5 years	$1\frac{1}{2}$ tsp = 7.5ml	3 tablets	
48-59 lbs	6-8 years	2 tsp = 10 ml	4 tablets	2 tablets
60-71 lbs	9-10 years	$2\frac{1}{2}$ tsp = 12.5ml	5 tablets	2 ¹ / ₂ tablets
72-95 lbs	11 years	3 tsp = 15ml	6 tablets	3 tablets
96 lbs +	12 years			4 tablets

Children's Motrin Dosage

Motrin can be administered every 6 hours as needed, not to exceed 4 doses in 24 hours. Motrin = Ibuprofen

		Infant's Concentrated Drops (50mg/1.25ml)	Children's Suspension Liquid (100mg/1 tsp)	Children's Soft Chew Tablets 50mg each	Junior Strength Chewables 100mg each
Weight	Age				
	Under 6	Not	Not	Not	Not
	months	Recommended	Recommended	Recommended	Recommended
12-17 lbs	6-11 mo.	2 nd line=1.25ml	½ tsp		
18-23 lbs	12-23 mo.	3 rd line=1.875ml	¾ tsp		
24-35 lbs	2-3 years		1 tsp	2 tablets	
36-47 lbs	4-5 years		1½ tsp	3 tablets	
48-59 lbs	6-8 years		2 tsp	4 tablets	2 tablets
60-71 lbs	9-10 years		2½ tsp	5 tablets	2 ¹ / ₂ tablets
72-95 lbs	11 years		3 tsp	6 tablets	3 tablets
96 lbs +	12 years				4 tablets

Note: We do not recommend over the counter cough and cold preparations due to the lack of effectiveness and potential side-effects, especially under the age of 2 years.